F

FortiGate/FortiWiFi® 50E Series

FG-50E, FG-51E, FWF-50E, and FWF-51E

Secure SD-WAN Next Generation Firewall



The FortiGate/FortiWiFi 50E series provides an application-centric, scalable, and secure SD-WAN solution in a compact fanless desktop form factor for enterprise branch offices and midsized businesses. Protects against cyber threats with system-on-a-chip acceleration and industry-leading secure SD-WAN in a simple, affordable, and easy to deploy solution. Fortinet's Security-Driven Networking approach provides tight integration of the network to the new generation of security.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevent and detect against known and unknown attacks using continuous threat intelligence from AI-powered FortiGuard Labs security services

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated for best-in-class security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs

Networking

- Delivers advanced networking capabilities that seamlessly integrate with advanced layer 7 security and virtual domains (VDOMs) to offer extensive deployment flexibility, multi-tenancy and effective utilization of resources
- Delivers high-density, flexible combination of various high-speed interfaces to enable best TCO for customers for data center and WAN deployments

Management

- Includes a management console that is effective, simple to use, and provides comprehensive network automation and visibility
- Provides Zero Touch Integration with Fortinet's Security Fabric's Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

• Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation

Firewall	IPS	NGFW	Threat Protection	Interfaces
2.5 Gbps	350 Mbps	220 Mbps	160 Mbps	Multiple GE RJ45 WiFi variants Variants with internal storage

DEPLOYMENT




Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single high-performance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with industry-validated IPS that offers low latency and optimized network performance
- Automatically block threats on decrypted traffic using the Industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with Al-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric




Secure SD-WAN

- Consistent business application performance with accurate detection, dynamic WAN path steering on any best-performing WAN transport
- Accelerated Multi-cloud access for faster SaaS adoption with cloud-on-ramp
- Self-healing networks with WAN edge high availability, sub-second traffic switchover-based and real-time bandwidth compute-based traffic steering
- Automated Overlay tunnels provides encryption and abstracts physical hybrid WAN making it simple to manage.
- Simplified and intuitive workflow with SD-WAN Orchestrator for management and zero touch deployment
- Enhanced analytics both real-time and historical provides visibility into network performance and identify anomalies
- Strong security posture with next generation firewall and real- time threat protection




Next Generation Firewall Small Office Deployment



Secure SD-WAN Enterprise Branch Deployment

HARDWARE

FortiGate 50E/51E



Interfaces

- 1. 1x USB Port
- 2. 1x Console RJ45
- 3. 2x GE RJ45 WAN Ports
- 4. 5x GE RJ45 Switch Ports

Interfaces

FortiWiFi 50E/51E

1.	1x USB Port
2.	1x Console RJ45
3.	2x GE RJ45 WAN Ports
4.	5x GE RJ45 Switch Ports

Install in Minutes with FortiExplorer

The FortiExplorer wizard enables easy setup and configuration coupled with easy-to-follow instructions. FortiExplorer runs on popular iOS devices. Using FortiExplorer is as simple as starting the application and connecting to the appropriate USB port on the FortiGate. By using FortiExplorer, you can be up and running and protected in minutes.

Wireless and 3G/4G WAN Extensions

The FortiGate supports external 3G/4G modems that allow additional or redundant WAN connectivity for maximum reliability. The FortiGate can also operate as a wireless access point controller to further extend wireless capabilities.

Compact and Reliable Form Factor

Designed for small environments, you can simply place the FortiGate/FortiWiFi 50E series on a desktop. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

Superior Wireless Coverage

A built-in dual-band, dual-stream access point with internal antennas is integrated on the FortiWiFi 50E and provides speedy 802.11ac wireless access. The dual-band chipset addresses the PCI-DSS compliance requirement for rogue AP wireless scanning, providing maximum protection for regulated environments.

FORTINET SECURITY FABRIC

Security Fabric

The industry's highest-performing cybersecurity platform, powered by FortiOS, with a rich ecosystem designed to span the extended digital attack surface, delivering fully automated, self-healing network security.

- Broad: Coordinated detection and enforcement across the entire digital attack surface and lifecycle with converged networking and security across edges, clouds, endpoints and users
- Integrated: Integrated and unified security, operation, and performance across different technologies, location, deployment options, and the richest Ecosystem
- Automated: Context aware, self-healing network & security posture leveraging cloud-scale and advanced AI to automatically deliver near-real-time, user-to-application coordinated protection across the Fabric

The Fabric empowers organizations of any size to secure and simplify their hybrid infrastructure on the journey to digital innovation.





FortiOS[™] Operating System

FortiOS, Fortinet's leading operating system enable the convergence of high performing networking and security across the Fortinet Security Fabric delivering consistent and context-aware security posture across network endpoint, and clouds. The organically built best of breed capabilities and unified approach allows organizations to run their businesses without compromising performance or protection, supports seamless scalability, and simplifies innovation consumption.

The release of FortiOS 7 dramatically expands the Fortinet Security Fabric's ability to deliver consistent security across hybrid deployment models consisting on appliances, software and As-a-Service with SASE, ZTNA and other emerging cybersecurity solutions.

SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare services help thousands of organizations get the most from their Fortinet Security Fabric solution. We have more than 1,000 experts to help accelerate technology implementation, provide reliable assistance through advanced support, and offer proactive care to maximize security and performance of Fortinet deployments.

SPECIFICATIONS

	FG-50E	FWF-50E	FG-51E	FWF-51E	
Hardware Specifications					
GE RJ45 Switch Ports		5			
GE RJ45 WAN Ports		2			
USB Ports		1			
Console (RJ45)		1			
Wireless Interface	—	802.11 a/b/g/n	—	802.11 a/b/g/n	
Internal Storage	—	-	1× 32 GB SSD	1× 32 GB SSD	
System Performance — Enterprise Traffic Mix					
IPS Throughput ²		350 MI	ops		
NGFW Throughput ^{2,4}		220 Mi	ops		
Threat Protection Throughput ^{2, 5}		160 Mb	ops		
System Performance					
Firewall Throughput		2.5 Gb	ps		
Firewall Latency (64 byte UDP packets)		180 µ	IS		
Firewall Throughput (Packets Per Second)		375 Kp	ops		
Concurrent Sessions (TCP)		1.8 Mill	ion		
New Sessions/Second (TCP)		21,00	0		
Firewall Policies		5,000	0		
Psec VPN Throughput (512 byte) ¹	90 Mbps				
Gateway-to-Gateway IPsec VPN Tunnels		200			
Client-to-Gateway IPsec VPN Tunnels	250				
SSL-VPN Throughput	100 Mbps				
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	200				
SSL Inspection Throughput (IPS, avg. HTTPS) ³		150 Mb	ops		
SSL Inspection CPS (IPS, avg. HTTPS) ³		140			
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³		75,00	0		
Application Control Throughput (HTTP 64K) ²		450 MI	ops		
CAPWAP Throughput (HTTP 64K)		1.2 Gb	ps		
Virtual Domains (Default / Maximum)	5 / 5				
Maximum Number of FortiSwitches Supported		8			
Maximum Number of FortiAPs (Total / Tunnel Mode)	10 / 5				
Maximum Number of FortiTokens		500			
High Availability Configurations		Active/Active, Active/F	Passive, Clustering		
Dimensions					
Height x Width x Length (inches)		1.44 × 8.52	2 × 5.5		
Height x Width x Length (mm)	36.5 × 216 × 140				
Weight	2.015 lbs (0.914 kg)	2.041 lbs (0.926 kg)	2.04 lbs (0.925 kg)	2.04 lbs (0.925 kg)	
Form Factor		Deskte		(0.020 (.9)	
Radio Specifications					
МІМО	_	2×2	_	2×2	
Maximum Wi-Fi Speeds	—	300 Mbps	—	300 Mbps	
Maximum Tx Power	_	21 dBm	—	21 dBm	
Antenna Gain	—	2 dBi @ 5 GHz, 2.4dBi @ 2.4 GHz	_	2 dBi @ 5 GHz, 2.4dBi @ 2.4 GHz	

Note: All performance values are "up to" and vary depending on system configuration.

 IPsec VPN performance values are up to and vary depending on system conliguration.
IPsec VPN performance test uses AES256-SHA256.
IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
SSL Inspection performance values use an average of HTTPS sessions of different cipher average. suites.

NGFW performance is measured with Firewall, IPS and Application Control enabled.
Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

SPECIFICATIONS

FG-50E	FWF-50E	FG-51E	FWF-51E	
12Vdc, 2A				
Powered by External DC Power Adapter, 100–240V AC, 50/60 Hz				
100 V / 0.6 A, 240 V / 0.4 A				
15 / 18 W	18 / 22 W	16 / 20 W	19 / 23 W	
62 BTU/h	75 BTU/h	67 BTU/h	79 BTU/h	
32-104°F (0-40°C)				
-31–158°F (-35–70°C)				
10–90% non-condensing				
Fanless 0 dBA				
Up to 7,400 ft (2,250 m)				
FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB				
ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN				
	Pc 15 / 18 W 62 BTU/h	12Vdr Powered by External DC Power A 100 V / 0.6 A, 15 / 18 W 18 / 22 W 62 BTU/h 75 BTU/h 32-104°F -31-158°F i 10-90% non- Fanless Up to 7,400 FCC, ICES, CE, RCM, Vo ICSA Labs: Firewall, IPsec	12Vdc, 2A Powered by External DC Power Adapter, 100–240V AC, 50/60 H 100 V / 0.6 A, 240 V / 0.4 A 15 / 18 W 18 / 22 W 16 / 20 W 62 BTU/h 75 BTU/h 67 BTU/h 32–104°F -31–158°F -31–158°F -31–58°F -31–5	

ORDERING INFORMATION

Product	SKU	Description
FortiGate 50E	FG-50E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports)
FortiWiFi 50E	FWF-50E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), Wireless (802.11a/b/g/n)
FortiGate 51E	FG-51E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), 32 GB SSD onboard storage
FortiWiFi 51E	FWF-51E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), Wireless (802.11a/b/g/n), 32 GB SSD onboard storage
Optional Accessory	,	
Rack Mount Tray	SP-RACKTRAY-02	Rack mount tray for FG-30D, FG-40C, FG-50/51E, FG-60C, FG-60D/-POE, FG-70D, FG-80D, FG-90D/-POE, FAD-100E, FRC-100D, FWB-100D, FML-60D, FVE-100E.

BUNDLES



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	UTM	Threat Protection
FortiCare	ASE 1	24×7	24×7	24×7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiCASB SaaS-only Service	•	•		
FortiConverter Service	•			
SD-WAN Cloud Assisted Monitoring ²	•			
SD-WAN Overlay Controller VPN Service ²	•			
FortiAnalyzer Cloud ²	•			
FortiManager Cloud ²	•			

1. 24×7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.2

www.fortinet.com

Copyright © 2021 Fortinet, Inc. All rights reserved. FortilGate⁶, FortiCare⁶ and FortiGuard⁶, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were atlained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Tortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet Seneral Coursel, with a purchaser that expressly warrants that the identified product will perform accerding to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute darity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.