F**:**RTINET



DATA SHEET



FortiGate 70D Series

FortiGate 70D and 70D-POE

Security Gateway for Distributed Branch Offices

The FortiGate 70D series is a compact, all-in-one security appliance that delivers Fortinet's Connected UTM. Ideal for remote, customer premise equipment (CPE) and retail networks, these appliances offer the network security, connectivity, and performance you need with attractive TCO.

Advanced Protection

You get advanced threat protection, including firewall, application control, advanced threat protection, IPS, VPN, and web filtering, all from one device that's easy to deploy and manage. With its comprehensive management console, remote provisioning and wide range of connectivity options, you have an easy-to-deploy, easy-to-manage solution that's great for a centrally-managed infrastructure.

Built on the foundation of the FortiASIC System on a Chip 2 (SoC2) and FortiOS 5, the FortiGate 70D series provides high performance firewall and VPN capabilities plus comprehensive complementary security technologies.

You'll also appreciate features like VDOMs for your distributed networks. VDOMs on the FortiGate 70D series let you segment networks to enable guest and employee access, or protect things like cardholder data to meet compliance standards like PCI and HIPAA.

Key Features & Benefits

Unified Security	Multi-threat protection from a single device increases security and lowers costs for remote locations.
Simplified Licensing	Unlimited user licensing and comprehensive features.
High Port Density	16x GE RJ45 interfaces provide you with the flexibility to implement security to suit your network requirements.

Ideal for remote, customer premise equipment (CPE) and retail networks, these appliances offer the network security, connectivity, and performance you need with attractive TCO.

Enterprise-Class Protection that's Easy to Deploy and Manage

- High Speed Firewall and VPN powered by FortiASIC[™] SoC2.
- Runs on FortiOS 5 the most powerful security operating system in the world delivers more security to fight advanced threats, more control to users and devices, and more intelligence to build secure policies.
- Simplify installations with FortiExplorer and Wizards.








HARDWARE


FortiGate 70D



Interfaces

1. Console Port	
2. USB Management Port	
3. 2x USB Ports	
4. 14x GE RJ45 Switch Ports	
5. 2x GE RJ45 WAN Ports	

FortiGate 70D-POE



Interfaces

1. Console Port
2. USB Management Port
3. 2x USB Ports
4. 10x GE RJ45 Switch and 4x RJ45 PoE Ports
5. 2x GE RJ45 WAN Ports



Powered by FortiASIC SoC2

- Combines a RISC-based CPU with Fortinet's proprietary FortiASIC[™] content and network processors for unmatched performance.
- Simplifies appliance design and enables breakthrough performance for smaller networks.
- Supports firewall acceleration across all packet sizes for maximum throughput.
- Delivers accelerated UTM content processing for superior performance and protection.
- Accelerates VPN performance for high speed, secure remote access.

Install in Minutes with FortiExplorer

The FortiExplorer[™] wizard enables you to easily and quickly set up and configure FortiGate platforms with easy-to-follow instructions. The application runs on Windows, Mac OS X desktops and laptops as well as popular mobile devices. Simply connect to the appropriate USB port on the appliance and be fully protected in minutes.

3G/4G WAN Connectivity

The FortiGate 70D series includes USB ports that allow you to plug in a compatible third-party 3G/4G USB modem, providing additional WAN connectivity or a redundant link for maximum reliability.

Compact and Reliable Form Factor

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

HIGHLIGHTS

FortiOS — The World's Most Advanced Security Operating System

Feature Select

Instantly fine-tunes the FortiGate based on desired deployment needs using feature presets. Simplifies user administration and configurations while providing flexibility for different deployment modes.

Contextual Visibility

Presents critical deep insights into historic or real-time network activities with data on threat details, IPs, users, devices, applications and more. Allows administrators to quickly understand threats and stop them.

Advanced Security

Multiple advanced technologies can be coordinated to look for and stop today's blended, targeted or unknown attacks. Efficient packet handling improves performance while lowering latencies and reducing network complexities.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet

Industry Validation

The FortiGate family of physical and virtual appliances has earned more certifications than any other vendor by consistently meeting rigorous third-party standards. Our industry-leading technology provides you with air-tight security which you can safely count on.

World-Class Technical Support and Documentation

Fortinet FortiCare support offerings provide comprehensive global support for all Fortinet products and services. You can rest assured your Fortinet security products are performing optimally and protecting your users, applications, and data around the clock.

More Protection and Better ROI

The FortiGate constantly evolves itself in its mission to provide more value for users. Extended features such as WiFi controller, integrated token server, endpoint control and WAN optimization add more security to organizations without incurring additional cost.

Complete and Real-time Security

Fortinet FortiGuard Subscription Services provide automated, real-time, up-to-date protection against the latest security threats. Our threat research labs are located worldwide, providing 24x7 updates when you most need it.



FortiOS Dashboard - Single Pane of Glass Management

ORDER INFORMATION

Product	SKU	Description
FortiGate 70D	FG-70D	16x GE RJ45 ports, (including 2x WAN ports, 14x Switch ports), Maximum managed FortiAPs (Total / Tunnel) 32 / 16.
FortiGate 70D-POE	FG-70D-POE	16x GE RJ45 ports, (including 2x WAN ports, 10x Switch RJ45 ports, 4x RJ45 PoE ports), Maximum managed FortiAPs (Total / Tunnel) 32 / 16.

SPECIFICATIONS

	FORTIGATE 70D	FORTIGATE 70D-POE
Hardware Specifications		
GE RJ45 WAN Ports	2	2
GE RJ45 Switch Ports	14	10
GE RJ45 PoE Ports	-	4
USB Ports (Client / Server)	1/2	1/2
Console (RJ45)	1	1
System Performance		
- Firewall Throughput (1518 / 512 / 64 byte UDP packets)	3.5 / 3.5 / 3.5 Gbps	3.5 / 3.5 / 3.5 Gbps
irewall Latency (64 byte UDP packets)	4 µs	4 μs
irewall Throughput (Packets Per Second)	5.3 Mpps	5.3 Mpps
Concurrent Sessions (TCP)	2 Million	2 Million
New Sessions/Sec (TCP)	4,000	4,000
Firewall Policies	5,000	5,000
Psec VPN Throughput (512 byte packets)	1 Gbps	1 Gbps
Sateway-to-Gateway IPsec VPN Tunnels	200	200
Client-to-Gateway IPsec VPN Tunnels	1,000	1,000
SSL-VPN Throughput	35 Mbps	35 Mbps
Concurrent SSL-VPN Users (Recommended Maximum)	200	200
	200 275 Mbps	275 Mbps
PS Throughput		· · · · · · · · · · · · · · · · · · ·
Antivirus Throughput (Proxy Based / Flow Based)	35 / 65 Mbps	35 / 65 Mbps
CAPWAP Clear-text Throughput (HTTP)	210 Mbps	210 Mbps
/irtual Domains (Default / Maximum)	10 / 10	10 / 10
Maximum Number of FortiAPs (Total / Tunnel Mode)	32 / 16	32 / 16
Maximum Number of FortiTokens	100	100
Naximum Number of Registered FortiClients	200	200
ligh Availability Configurations	Active / Active, Active / Passive, Clustering	Active / Active, Active / Passive, Clustering
Invironment		
Power Required	100–240V AC, 50–60 Hz	100–240V AC, 50–60 Hz
Maximum Current	110 V / 1.5 A, 220 V / 0.75 A	110 V / 2 A, 220 V / 1 A
Total Available PoE Power Budget*	-	61.6 W
Power Consumption (Average / Maximum)	17 / 21 W	59 / 89 W
leat Dissipation	72 BTU/h	303 BTU/h
Dperating Temperature	32-104°F (0-40°C)	32-104°F (0-40°C)
Storage Temperature	-31–158°F (-35–70°C)	-31-158°F (-35-70°C)
lumidity	20–90% non-condensing	20–90% non-condensing
Dperating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)
Compliance		
Regulatory Compliance	FCC Part 15 Class B, C-Tick, VCCI, CE, UL/cUL, CB	FCC Part 15 Class B/A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications		
	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN
Dimensions		
Height x Width x Length (inches)	1.72 x 8.5 x 8.78	1.72 x 8.5 x 8.78
Height x Width x Length (mm)	44 x 216 x 223	44 x 216 x 223
Weight	3.5 lbs (1.6 kg)	3.5 lbs (1.6 kg)
Form Factor	Desktop	Desktop

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 4 Kbyte HTTP fles. IPS performance is measured using 1 Mbyte HTTP fles. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1.

*Maximum loading on each PoE port is 15.4 W (802.3af).



GLOBAL HEADQUARTERS Fortinet Inc. 899 Kifer Road Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 120 rue Albert Caquot 06560, Sophia Antipolis, France Tel: +33.4.8987.0510

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480

Copyright® 2015 Fortinet, Inc. All rights reserved. Fortinet®, FortiCate® and FortiCate® and FortiCate® and eortain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics scontained herein were attained in internal lab tests under ickel conditions, and actual performance and other results may vary and may be significantly less effective than the metrics stated herein. Notive, internal lab tests and other metrics contained prevents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract. Signed by Fortinet's General Coursel, with a purchaser that taxpressly warrants that the identified product will perform accounding to certain expressly-identified performance metrics and, in such event, only the specific performance metrics aspecies or implied, except to the extent Fortinet enters all be binding on Fortinet and any such commitment shall be limited by the disclaimers in this paragraph and other imitations in the written contract. For absolute darity, any such warranty will be inhited to performance in the same ideal conditions as in Fortnet's internal lab tests, and in no event will Fortinet be responsible for events or issues that are outside of its reasonable control. Notificitating anything to the contract, Fortinet disclaims, in full any covenants, representations, whether express or implied. Fortinet's metrics applicable.

FST-PROD-DS-FG70D